

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L6	91	name with (generat\$3 creat\$3) same (integrat\$3 with document\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 16:49
L7	0	6 and (rename with index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 16:49
L8	0	6 and (re\$name with index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 16:49
L9	10	6 and (name with index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 16:49
L10	92717	integrat\$3 with (document \$1 section\$1 fragment\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 17:03
L11	1076	10 and (name with (creat \$3 generat\$3) same (document section fragment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 17:04
L12	23	11 and (re\$name with (document section fragment segment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 17:05
L13	12	12 and (index indice)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 17:05
L19	133227	(combin\$3 with (files documents images))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 18:09

L20	5171	L19 and ((creat\$3 or generat\$3) with name same (document file image))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 18:09
L21	1509	L20 and (integrat\$3 with (documents files images))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 18:09
L22	215	L21 and (assign\$3 near2 name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 18:09
L23	6	L22 and index\$3 with order same name	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 18:09
L24	14825	(707/1-3,10,102,200). CQLS.	USPAT; USOCR	OR	OFF	2008/04/25 18:25
L25	184	24 and (composite with (document file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 18:25
L26	44	25 and (name rename) same index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 18:26
L27	16	26 and (name with (creat\$3 generat\$3) same (document section fragment segment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 18:26
L28	23	matsuishi-takaya.inv.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 18:27
L29	0	27 and 28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/25 18:27
S2	1	("6,266,683").PN.	USPAT; USOCR	OR	OFF	2005/12/10 18:22

S3	47127	(document or file) with management	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 18:23
S4	3040	S3 and (nam\$3 with (section or partial or part or segment) same (document or file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:25
S5	254	S4 and (index with type)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 18:25
S6	54	S5 and (nam\$3 with (index and document))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 20:37
S7	200	S5 not S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 19:08
S8	40	S7 and ((creat\$3 or generat\$3) with name same document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 21:22
S9	1138	S4 and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 19:13
S10	202	S9 and ((creat\$3 or generat\$3) with name same document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 19:13
S11	162	S10 not S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 19:13
S12	159	S11 and (document with name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 19:14

S13	29	S11 and (creat\$3 or generat\$3) with name with section with document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 21:39
S14	100	(creat\$3 or generat\$3) with name with section with document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 21:27
S15	52	S14 and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 20:37
S16	14	S15 and "document management"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 22:16
S17	41	(creat\$3 or generat\$3) with name with section same index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 21:27
S18	34	S17 not S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 21:38
S19	26996	(folder or file or document) with director\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 21:38
S20	7721	S19 and ((creat\$3 or generat\$3) with name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 21:39
S21	6761	S20 and ((director\$3 or folder\$1 or file\$1) with name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 21:40
S22	1266	S21 and (name with document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 21:40

S23	216	S22 and (index same name same document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 21:41
S24	45	S23 and (index with order)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 21:42
S25	2232	"document management system"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 22:16
S26	720	S25 and ((section or fragment or segment or partial or portion) with document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 22:53
S27	79	S26 and (name with (section or fragment or segment or partial or portion) same document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 22:18
S28	46	S27 and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 22:18
S29	45	S28 not S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 22:40
S30	8576	(decompos\$3 or divid\$3) with document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 22:53
S35	3745	S30 and ((section or fragment or segment or partial or portion) with document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 23:37
S36	425	S30 and ((section or fragment or segment or partial or portion) with name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 23:38

S40	371	S35 and ((section or fragment or segment or partial or portion) with name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 22:57
S41	48	S40 and (name with index same document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 23:13
S42	38	S41 not S29	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 22:58
S43	323	S40 not S41	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 23:13
S44	123	S43 and ((creat\$3 or generat\$3) with name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 21:23
S45	49	S44 and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 23:36
S46	423	S35 and (document with hierarch\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:29
S47	109	S46 and ((section or fragment or segment or partial or portion) with name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:30
S48	75	S47 and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/10 23:38
S49	28	S48 and nest\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:50

S50	47	S48 not S49	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 17:54
S51	291	(creat\$3 or generat\$3) with name with content with document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 18:06
S52	105	S51 and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 17:55
S53	74	S52 and (document with manag\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 17:57
S54	42	S53 and (search\$3 with index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 18:06
S55	32	S53 not S54	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 18:01
S56	186	(creat\$3 or generat\$3) with name with (section or segment or fragment or portion) with document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 18:17
S57	21	S56 and (search\$3 with index)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 18:06
S58	36	(creat\$3 or generat\$3) with name with (section or segment or fragment or portion) with folder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:30
S59	10	S58 and index	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 18:20

S60	26	S58 not S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/11 18:20
S61	24335	(generat\$3 creat\$3) with name with (document file data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 12:18
S62	9068	S61 and (coupl\$3 combin \$3 bind\$3) with (document file data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 12:19
S63	6697	S62 and (document\$3 file data) with (handl\$3 manag \$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 12:20
S64	3150	S63 and (index\$2 or indice)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 12:20
S65	2575	S64 and (document file) with name	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 12:21
S66	1921	S65 and (display\$3 with (document file data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 12:23
S68	618	S66 and @ad<"19990906"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/06 12:25
S69	90	S68 and ((form\$3 generat \$3 creat\$3) with (document file) same (combin\$3 coupl\$3 bind \$3) same name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:18
S70	30	S69 and (index same (order sequence) same (document file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:19



S71	24359	(generat\$3 creat\$3) with name with (document file data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:18
S72	9078	S71 and (coupl\$3 combin\$3 bind\$3) with (document file data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:18
S73	6704	S72 and (document\$3 file data) with (handl\$3 manag\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:18
S74	3154	S73 and (index\$2 or indice)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:18
S75	2579	S74 and (document file) with name	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:18
S76	1925	S75 and (display\$3 with (document file data))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:18
S77	619	S76 and @ad<"19990906"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:10
S78	91	S77 and ((form\$3 generat\$3 creat\$3) with (document file) same (combin\$3 coupl\$3 bind\$3) same name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:18
S80	31	S78 and (index same (order sequence) same (document file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:19
S81	60	S78 not S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 16:20

S82	19	S81 and (decompos\$3 compos\$3) with (document \$1 file\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:02
S84	5	((derivative or derivation) with image\$1) and (image with name with version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:08
S85	436	(image with name with version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:08
S86	170	S85 and (generat\$3 compos\$3 decompos\$3 creat\$3) with image with name	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:09
S87	25	S86 and derivative	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:18
S88	145	S86 not S87	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:18
S89	11	S88 and @ad<"19990906"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:18
S90	22718	(nam\$3 with (section or partial or part or segment) same (document or file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:26
S91	1871	S90 and ((combin\$3 compos\$3 decompos\$3) with (section or partial or part or segment) same (document or file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:27
S92	484	S91 and (generat\$3 creat\$3) with name with (file document section segment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:28

S93	242	S92 and (index\$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:28
S94	109	S93 and (combin\$3 compos \$3) with (type format) same (document file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:14
S95	64	S94 and (patent with (document application file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:45
S96	45	S94 not S95	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:49
S99	856	ricoh-co-ltd.asn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:51
S100	18802	("707").CLAS.	USPAT; USOCR	OR	OFF	2006/11/07 17:51
S101	15	S99 and S100	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 17:51
S102	19240	(creat\$3 or generat\$3) with name same (file document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:46
S103	1090	S102 and (document with hierarch\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:30
S104	302	S103 and ((section or fragment or segment or partial or portion) with name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:30
S105	197	S103 and ((section or fragment or segment) with name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:30

S106	43	(creat\$3 or generat\$3) with name with (section or segment or fragment or portion) with folder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:47
S107	0	S105 and S106	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:31
S108	412	(creat\$3 or generat\$3) with name with (section or segment or fragment or portion) and folder	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:32
S109	19	S105 and S108	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:33
S111	3991	(creat\$3 or generat\$3) near2 name with (file document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:46
S113	253	S111 and (creat\$3 or generat\$3) near2 name with (section or segment or fragment or portion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:48
S114	122	S111 and (creat\$3 or generat\$3) near2 name near4 (section or segment or fragment or portion)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 18:49
S115	46	S114 and (index\$2 indice \$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:09
S116	182	(segment section) with identical with name	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:12
S117	11	S111 and S116	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:13

S118	171	S116 not S117	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:13
S119	5	S118 and (combin\$3 compos\$3) same (type format) same (document file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:15
S120	166	S118 not S119	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:15
S121	0	S120 and (combin\$3 with (segment section)) same document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:16
S122	38	S120 and ((combin\$3 coupl \$3) with (segment section))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:16
S123	9	S122 and (document file) with name	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:17
S124	29	S122 not S123	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:53
S125	204	("document name" "file name") with generator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:53
S126	32	S125 and index\$3 with (document file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/07 19:58
S127	2773	(generat\$3 creat\$3) near2 name near2 (document file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:51

S128	984	(generat\$3 creat\$3) near1 name near1 (document file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 14:51
S129	6	S128 and (index indice) with order same document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:09
S130	1134	(index indice) with order same document	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:10
S131	57	S127 and S130	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:10
S132	51	S131 and ("file name" "document file")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:10
S133	32	S132 and @ad<"19990906"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:13
S134	532	S128 and (document data) with (handling manag\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:14
S135	274	S134 and (coupl\$3 combin \$3 link\$3) with (document file)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:15
S136	164	S135 and (generat\$3 creat \$3) with (document file) same (coupl\$3 combin\$3 link\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:15
S137	80	S136 and (index indexes indice)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/08 15:16

S138	14	renam\$3 with (integrat\$3 with (file document))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 20:31
S139	23035	(integrat\$3 with (file document))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 20:31
S140	222	S139 and (name with creator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 20:32
S141	0	S140 and combin\$5 with (fragment section partial) with (file document) same name	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 20:33
S142	2	S140 and combin\$5 with (fragment section partial) with (file document)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 20:34
S143	1191	"integrated file" "integrated document"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 20:34
S144	516	S143 and (document file) with name	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 20:34
S145	213	S144 and ((creat\$3 or generat\$3) with name same (document file))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 21:52
S146	29	S145 and (nam\$3 with (index and document))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 20:38
S147	37	S145 and (nam\$3 with (index and (document file)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 20:41

S148	118711	(combin\$3 with (files documents images))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 21:54
S149	4365	S148 and ((creat\$3 or generat\$3) with name same (document file image))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 21:22
S150	1261	S149 and (integrat\$3 with (documents files images))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 21:57
S151	184	S150 and (assign\$3 near2 name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 21:51
S152	5	S151 and index\$3 with order same name	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 21:28
S153	579	S149 and (integrat\$3 near2 (documents files images))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 21:30
S154	75	S153 and (assign\$3 near2 name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 21:31
S155	29	S154 and index\$2	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 21:45
S156	9404	"image data" same name	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 22:05
S157	490	S156 and (assign\$3 near2 name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 22:05



S158	230	S157 and ((creat\$3 or generat\$3) with name same (image))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 21:53
S159	84	S158 and (combin\$3 with images)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 21:54
S160	77	S159 and (image near3 name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 21:54
S161	25	S160 and (integrat\$3 with images)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 21:59
S162	5581	"image data" with name	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 22:05
S163	74	S162 and (assign\$3 near2 image near name)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 22:06
S164	73	S163 not S161	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/13 22:06

4/25/2008 6:39:35 PM

C:\Documents and Settings\mnguyen5\My Documents\EAST\Workspaces\10601645.wsp